



Livingstone



ROLLER TEAM

EN | 21



LIVINGSTONE

INTRO	PAG. 4
STANDARD EQUIPMENT	PAG. 6
TECHNICAL DATA	PAG. 8



LIVINGSTONE SPORT

INTRO	PAG. 10
STANDARD EQUIPMENT	PAG. 12
TECHNICAL DATA	PAG. 14




LIVINGSTONE ADVANCE

INTRO	PAG. 18
STANDARD EQUIPMENT	PAG. 20
TECHNICAL	PAG. 22


26

WHY CHOOSING ROLLER TEAM

EXPS TECHNOLOGY	PAG. 28
FURNITURE	PAG. 30
FRIDGE	PAG. 32
HEATING	PAG. 33



Livingstone




< 5,5 Meters


< 6 Meters


< 6.5 Meters

2 5.99m


5 5.99m







Livingstone Sport



K2 Sport 5.41m

2 Sport 5.99m


4 Sport 5.99m


5 Sport 5.99m


6 Sport 5.99m


DUO Sport 6.36m


DUO XL Sport 6.36m





















Livingstone Advance



K2 Advance 5.41m

2 Advance 5.99m


4 Advance 5.99m


5 Advance 5.99m


6 Advance 5.99m


DUO Advance 6.36m


DUO XL Advance 6.36m

















Livingstone

Everything is ready for leaving.

If you are looking for your **first van** and you want a concrete vehicle, with a simple, practical and essential style, but with everything you need to go on a thousand adventures, Livingstone is the van for you.

You can choose between **2 models**; Livingstone 2 of 5.99 m with the standard transversal double bed at the back; Livingstone 5 which, in the same length, has two bunk double beds placed at the back of the vehicle.





Living area

- Light wood furniture
- Dinette with swivel seats that integrate into the living area
- Seats with ergonomic backrest for greater comfort
- Seat covers coordinated with the fabric upholstery
- Removable sliding table shaped from the driver's seat side for easier movement
- Large square wall units with integrated LED lighting
- Large storage compartment over the cab
- Storage door on the side of the dinette

Kitchen

- Linear kitchen drawing inspiration from your home's one
- Integrated steel sink
- 70 l double opening compressor refrigerator
- Domestic type mixer
- Two-burner hob with glass cover
- Sliding baskets
- Large drawers under the sink with automatic closure (soft-close)

Sleeping area

- Slatted beds
- Extra size beds
- Elevating and removable bases (Livingstone 5)
- Bed in dinette (where available)
- "Sleep comfort" mattresses in breathable fabric
- Large wardrobes and wall units
- Removable double flooring, with adjustable volume

Bathroom

- Wooden furniture
- Fixed washbasin, above the toilet
- Large shower
- Lowered shower tray: the water does not flow into the toilet area
- Shower rail with separate mixer
- Shower curtain with magnets, removable
- Storage compartment with shelf inside the shower
- Large wall units
- Large mirrors with integrated lighting and dull window

On-board technology

- Combi 4 perimetral heating
- LED lighting
- LED spot lights under the wall units
- USB sockets in the living and sleeping area

Exteriors

- 15" steel rim wheels
- Electric mirrors
- Entrance door flyscreen
- Electric step
- 6-year infiltration warranty

Chassis

- Fiat Ducato 2.3 MJ 120 HP, emission class EURO 6
- Driver and passenger airbags
- ESC (FIAT)
- Manual climate control system
- Cruise control
- Integrated DAB radio aerial
- Swivel cab seats with seat covers matching the upholstery

Upholstery



Appeal (Standard ■, Fabric)



LIVINGSTONE 2		LIVINGSTONE 5	
MECHANICS AND CHASSIS			
Mechanical unit	Fiat Ducato	Fiat Ducato	
Engine, Power hp	2.3 MJ 120 HP	2.3 MJ 120 HP	
Maximum technically permissible weight (Kg)	3300	3300	
Weight unladen in running conditions (Kg)	2753 / 2933	2773 / 2953	
Pay Load (Kg)	367 / 547	347 / 527	
Wheelbase (mm)	4035	4035	
Maximum towable weight (Kg)	2500	2500	
Wheels dimensions	15"	15"	
DIMENSIONS AND PLACES			
External lenght (mm) / External width (mm)	5995 / 2050	5995 / 2050	
External height(mm) / Internal height (mm)	2650 / 1890	2650 / 1890	
Homologated seats	4	4	
Berths (optional dinette)	2 + 1	4 + 1	
Rear Bed (cm)	190x144	186x144 - 186x132	
Rear Blevating Bed (cm)	-	-	
Bed in Dinette (cm)	180x97	180x97	
INSTALLATIONS			
Burners	2	2	
Tank capacity: clear water / wastewater (L**)	100 / 90	100 / 90	
Automatic trivalent fridge (220V, 12V, gas) (L)	-	-	
Compressor fridge (L)	70	70	
Standard heating system	4000Kw DIESEL	4000Kw DIESEL	
Internal insulation material	POLYESTER FIBER	POLYESTER FIBER	
Floor thickness (mm)	30	30	
SKYLIGHT			
400x400 skylight (mm)	2	2	

The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.7 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.

Standard equipment

- ▶ ESC
- ▶ 15” rim wheels
- ▶ Manual climate control system
- ▶ Cruise control
- ▶ Driver and passenger airbags
- ▶ Electric mirrors
- ▶ Integrated DAB radio aerial
- ▶ Flyscreen
- ▶ Swivel seats with seat covers
- ▶ Slatted bed
- ▶ 6-year warranty against infiltrations




Livingstone Sport

Enjoy the ride, no limits.

For you who **already have experience** with the van holiday and are looking for a vehicle that can give you **that something extra that makes the difference**, in terms of functionality, comfort, equipment, even winking at style.

The Livingstone Sport range offers you **a wide choice of models**, namely 7; with lengths ranging from 5.41 m to 6.63 m and **4 types of beds**, including classic double and bunk double beds, twin beds and electric elevating bed at the back.





Living area

- Light wood furniture
- Dinette with swivel seats that integrate into the living area
- Seats with ergonomic backrest for greater comfort
- Seat covers coordinated with the fabric upholstery
- Removable sliding table shaped from the driver's seat side for easier movement
- Ergonomic and large wall units with integrated LED lighting
- Floor stowage hatch under the dinette
- Open space cab

Kitchen

- Linear kitchen drawing inspiration from your home's one
- Integrated steel sink
- Double opening compressor refrigerator (Livingstone 6, K2 and DUO XL)
- Three-way refrigerator (Livingstone 2, 4, 5, DUO)
- Domestic type mixer
- Two-burner hob with glass cover
- Sliding baskets
- Large drawers under the sink with automatic closure (soft-close)

Sleeping area

- Slatted beds
- Extra size beds
- Elevating (Livingstone DUO) and removable bases (Livingstone 5)
- Elevating bed (Livingstone DUO XL)
- Bed in dinette (where available)
- "Sleep comfort" mattresses in breathable fabric
- Soft-touch panels on the walls
- Large wardrobes and wall units
- Removable double flooring, with adjustable volume (Livingstone DUO)

Bathroom

- Wooden furniture
- Fixed washbasin, above the toilet
- Large shower
- Lowered shower tray: the water does not flow into the toilet area
- Shower rail with separate mixer
- Shower curtain with magnets, removable
- Storage compartment with shelf inside the shower
- Large wall units
- Large mirrors with integrated lighting and dull window

On-board technology

- Combi 4 perimetral heating
- LED lighting
- LED spot lights under the wall units
- USB sockets in the living and sleeping area

Chassis

- Fiat Ducato 2.3 MJ 120 HP, emission class EURO 6
- Driver and passenger airbags
- Cruise control
- ESC
- Manual climate control system
- Integrated DAB radio aerial
- Pioneer Radio
- Cab swivel seats with seat covers
- Pleated blind

Exteriors

- Painted bumpers
- 15" alloy rim wheels
- Electric mirrors
- Black grille, headlight frame and skid plate
- Rear-view camera
- Solar panel 120 V
- Electric step
- Entrance door flyscreen
- Exterior veranda
- Openable rear windows
- 6-year infiltration warranty

Upholstery



Appeal (Standard ■, Fabric)



Martyn (Optional □, Fabric/Imitation Leather)



Laren (Optional □, Imitation Leather)



LIVINGSTONE SPORT K2	LIVINGSTONE SPORT 2	LIVINGSTONE SPORT 4	LIVINGSTONE SPORT 5
MECHANICS AND CHASSIS			
Mechanical unit	Fiat Ducato	Fiat Ducato	Fiat Ducato
Engine, Power hp	2.3 MJ 120 HP	2.3 MJ 120 HP	2.3 MJ 120 HP
Maximum technically permissible weight (Kg)	3300	3300	3300
Weight unladen in running conditions (Kg)	2663 / 2883	2753 / 2933	2803 / 2963
Pay Load (Kg)	417 / 637	547 / 367	337 / 497
Wheelbase (mm)	3450	4035	4035
Maximum towable weight (Kg)	2500	2500	2500
Wheels dimensions	16"	16"	16"
DIMENSIONS AND PLACES			
External lenght (mm) / External width (mm)	5410 / 2050	5995 / 2050	5995 / 2050
External height(mm) / Internal height (mm)	2650 / 1890	2650 / 1890	2650 / 1890
Homologated seats	4	4	4
Berths (optional dinette)	2	2 + 1	2 + 1
Rear Bed (cm)	190x133	190x144	190x144
Rear Blevating Bed (cm)	-	-	-
Bed in Dinette (cm)	140x45	180x97	180x97
INSTALLATIONS			
Burners	2	2	2
Tank capacity: clear water / wastewater (L**)	90 / 90	100 / 90	100 / 90
Automatic trivalent fridge (220V, 12V, gas) (L)	-	80	80
Compressor fridge (L)	70	-	-
Standard heating system	4000Kw DIESEL	4000Kw DIESEL	4000Kw DIESEL
Internal insulation material	POLYESTER FIBER + ALUMINIUM	POLYESTER FIBER + ALUMINIUM	POLYESTER FIBER + ALUMINIUM
Floor thickness (mm)	30	30	30
SKYLIGHT			
400x400 skylight (mm)	2	2	2

The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.7 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.

S= standard O= optional - = not available

Standard equipment

- ▶ ESC
- ▶ Manual climate control system
- ▶ Cruise control
- ▶ Black grille, headlight frame and skid plate
- ▶ 15" alloy rim wheels
- ▶ Painted bumpers
- ▶ Electric mirrors
- ▶ Driver and passenger air bag
- ▶ Integrated DAB radio aerial
- ▶ Pioneer Radio
- ▶ Cab swivel seats with upholstery coordinated covers
- ▶ Flyscreen
- ▶ Electric step
- ▶ Pleated blind
- ▶ Rear-view camera
- ▶ 6-year warranty against infiltrations





LIVINGSTONE SPORT 6		LIVINGSTONE SPORT DUO		LIVINGSTONE SPORT DUO XL	
MECHANICS AND CHASSIS					
Mechanical unit	Fiat Ducato	Fiat Ducato		Fiat Ducato	
Engine, Power hp	2.3 MJ 120 HP	2.3 MJ 120 HP		2.3 MJ 120 HP	
Maximum technically permissible weight (Kg)	3300	3500		3500	
Weight unladen in running conditions (Kg)	2833 / 2972	2903 / 3143		2903 / 3143	
Pay Load (Kg)	327 / 468	357 / 597		357 / 597	
Wheelbase (mm)	4035	4035		4035	
Maximum towable weight (Kg)	2500	2500		2500	
Wheels dimensions	16”	16”		16”	
DIMENSIONS AND PLACES					
External lenght (mm) / External width (mm)	5995 / 2050	6365 / 2050		6365 / 2050	
External height(mm) / Internal height (mm)	2650 / 1890	2650 / 1890		2650 / 1890	
Homologated seats	4	4		4	
Berths (optional dinette)	2 + 1	2 + 1		2 + 1	
Rear Bed (cm)	174x75 - 190x62	195x80 - 190x80		-	
Rear Blevating Bed (cm)	-	-		190/180x192	
Bed in Dinette (cm)	175x90	150x50		150x50	
INSTALLATIONS					
Burners	2	2		2	
Tank capacity: clear water / wastewater (L**)	100 / 90	100 / 90		100 / 90	
Automatic trivalent fridge (220V, 12V, gas) (L)	-	80		-	
Compressor fridge (L)	70	-		90	
Standard heating system	4000Kw DIESEL	4000Kw DIESEL		4000Kw DIESEL	
Internal insulation material	POLYESTER FIBER + ALUMINIUM	POLYESTER FIBER + ALUMINIUM		POLYESTER FIBER + ALUMINIUM	
Floor thickness (mm)	30	30		30	
SKYLIGHT					
400x400 skylight (mm)	2	2		2	

The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.7 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.

S= standard O= optional - = not available

Standard equipment

- ▶ ESC
- ▶ Manual climate control system
- ▶ Cruise control
- ▶ Black grille, headlight frame and skid plate
- ▶ 15" alloy rim wheels
- ▶ Painted bumpers
- ▶ Electric mirrors
- ▶ Driver and passenger air bag
- ▶ Integrated DAB radio aerial
- ▶ Pioneer Radio
- ▶ Cab swivel seats with upholstery coordinated covers
- ▶ Flyscreen
- ▶ Electric step
- ▶ Pleated blind
- ▶ Rear-view camera
- ▶ 6-year warranty against infiltrations



Livingstone Advance

The travel companion you've always wanted.

Dedicated to you who have a **lot of experience and are looking for a van of excellence**, which can offer you the best technology, a refined design, refined materials and a surplus of equipment.

The Livingstone Advance range offers you **7 top of range solutions**, with lengths ranging from 5.41 m to 6.36 m and **4 types of beds**, including classic double and bunk double beds, twin beds and electric elevating bed at the back.





Living area

- Light wood furniture
- Dinette with swivel seats that integrate into the living area
- Seats with ergonomic backrest for greater comfort
- Seat covers coordinated with the fabric upholstery
- Extractable methacrylate folding top table
- Ergonomic and large wall units with integrated LED lighting
- Floor stowage hatch under the dinette
- Open space cab

Kitchen

- Linear kitchen drawing inspiration from your home's one
- Integrated steel sink
- Acrylic stone kitchen top
- Double opening compressor refrigerator (Livingstone 6 and K2, DUO XL)
- Three-way refrigerator (Livingstone 2, 4, 5, DUO)
- Domestic type mixer
- Two-burner hob with glass cover
- Sliding baskets
- Large drawers under the sink with automatic closure (soft-close)



Sleeping area

- Slatted beds
- Extra size beds
- Elevating bed (Livingstone DUO XL)
- Elevating (Livingstone DUO) and removable bases (Livingstone 5)
- Bed in dinette (where available)
- "Sleep comfort" mattresses in breathable fabric
- Soft-touch panels on the walls
- Large wardrobes and wall units
- Removable double flooring, with adjustable volume (Livingstone DUO)



Bathroom

- Wooden furniture
- Fixed washbasin above the toilet in acrylic stone
- Large shower with wooden base
- Lowered shower tray: the water does not flow into the toilet area
- Rigid shower partition doors
- Shower rail with separate mixer
- Storage compartment with shelf inside the shower, with toothbrush holder
- Large wall units
- Large mirrors with integrated lighting and dull window



On-board technology

- Combi 4 perimetral heating
- LED lighting
- LED spot lights under the wall units
- USB sockets in the living and sleeping area

Chassis

- Fiat Ducato 2.3 MJ 120 HP, emission class EURO 6
- Driver and passenger airbags
- Cruise control
- Traction +
- ESC
- Manual climate control system
- Integrated DAB radio aerial
- 2 DIN radio
- Cab swivel seats with seat covers
- Pleated blind

Exteriors

- 16" alloy rim wheels
- Electric mirrors
- Black grille, headlight frame and skid plate
- Rear-view camera
- Panoramic roof
- Solar panel 120 V
- Electric step
- Openable rear windows
- Panoramic rooflights
- 6-year infiltration warranty

Upholstery



Appeal (Standard ■, Fabric)



Martyn (Optional □, Fabric/Imitation Leather)



Laren (Optional □, Imitation Leather)



	LIVINGSTONE ADVANCE K2	LIVINGSTONE ADVANCE 2	LIVINGSTONE ADVANCE 4	LIVINGSTONE ADVANCE 5
MECHANICS AND CHASSIS				
Mechanical unit	Fiat Ducato	Fiat Ducato	Fiat Ducato	Fiat Ducato
Engine, Power hp	2.3 MJ 120 HP	2.3 MJ 120 HP	2.3 MJ 120 HP	2.3 MJ 120 HP
Maximum technically permissible weight (Kg)	3300	3300	3300	3300
Weight unladen in running conditions (Kg)	2663 / 2883	2753 / 2933	2803 / 2963	2773 / 2953
Pay Load (Kg)	417 / 637	367 / 547	337 / 497	347 / 527
Wheelbase (mm)	3450	4035	4035	4035
Maximum towable weight (Kg)	2500	2500	2500	2500
Wheels dimensions	16"	16"	16"	16"
DIMENSIONS AND PLACES				
External lenght (mm) / External width (mm)	5410 / 2050	5995 / 2050	5995 / 2050	5995 / 2050
External height(mm) / Internal height (mm)	2650 / 1890	2650 / 1890	2650 / 1890	2650 / 1890
Homologated seats	4	4	4	4
Berths (optional dinette)	2	2 + 1	2 + 1	4 + 1
Rear Bed (cm)	190x133	190x144	190x144	190x144 - 186x132
Rear Blevating Bed (cm)	-	-	-	-
Bed in Dinette (cm)	140x45	180x97	180x97	180x97
INSTALLATIONS				
Burners	2	2	2	2
Tank capacity: clear water / wastewater (L**)	90 / 90	100 / 90	100 / 90	100 / 90
Automatic trivalent fridge (220V, 12V, gas) (L)	-	80	140	80
Compressor fridge (L)	70	-	-	-
Standard heating system	4000Kw DIESEL	4000Kw DIESEL	4000Kw DIESEL	4000Kw DIESEL
Internal insulation material	POLYESTER FIBER + ALUMINIUM	POLYESTER FIBER + ALUMINIUM	POLYESTER FIBER + ALUMINIUM	POLYESTER FIBER + ALUMINIUM
Floor thickness (mm)	30	30	30	30
SKYLIGHT				
400x400 skylight (mm)	1	1	1	1

The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.7 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.

S= standard O= optional - = not available

Standard equipment

- ▶ ESC
- ▶ Manual climate control system
- ▶ Cruise control
- ▶ Black grille, headlight frame and skid plate
- ▶ 16" alloy rim wheels
- ▶ Electric mirrors
- ▶ Driver and passenger air bag
- ▶ Integrated DAB radio aerial
- ▶ Cab swivel seats with upholstery coordinated covers
- ▶ Flyscreen
- ▶ Electric step
- ▶ Pleated blind
- ▶ Panoramic roof
- ▶ Rear-view camera
- ▶ 6-year warranty against infiltrations





LIVINGSTONE ADVANCE 6		LIVINGSTONE ADVANCE DUO		LIVINGSTONE ADVANCE DUO XL	
MECHANICS AND CHASSIS					
Mechanical unit	Fiat Ducato	Fiat Ducato		Fiat Ducato	
Engine, Power hp	2.3 MJ 120 HP	2.3 MJ 120 HP		2.3 MJ 120 HP	
Maximum technically permissible weight (Kg)	3300	3500		3500	
Weight unladen in running conditions (Kg)	2833 / 2972	2903 / 3143		2903 / 3143	
Pay Load (Kg)	327 / 468	357 / 597		357 / 597	
Wheelbase (mm)	4035	4035		4035	
Maximum towable weight (Kg)	2500	2500		2500	
Wheels dimensions	16"	16"		16"	
DIMENSIONS AND PLACES					
External lenght (mm) / External width (mm)	5995 / 2050	6365 / 2050		6365 / 2050	
External height(mm) / Internal height (mm)	2650 / 1890	2650 / 1890		2650 / 1890	
Homologated seats	4	4		4	
Berths (optional dinette)	2 + 1	2 + 1		2 + 1	
Rear Bed (cm)	174x75 - 190x62	195x80 - 190x80		-	
Rear Blevating Bed (cm)	-	-		190/180x192	
Bed in Dinette (cm)	175x90	150x50		150x50	
INSTALLATIONS					
Burners	2	2		2	
Tank capacity: clear water / wastewater (L**)	100 / 90	100 / 90		100 / 90	
Automatic trivalent fridge (220V, 12V, gas) (L)	-	80		-	
Compressor fridge (L)	70	-		90	
Standard heating system	4000Kw DIESEL	4000Kw DIESEL		4000Kw DIESEL	
Internal insulation material	POLYESTER FIBER + ALUMINIUM	POLYESTER FIBER + ALUMINIUM		POLYESTER FIBER + ALUMINIUM	
Floor thickness (mm)	30	30		30	
SKYLIGHT					
400x400 skylight (mm)	1	1		1	

The mass in running order includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and aluminium gas cylinders (max.7 kg) filled to 90% of their capacity, and tolerance specified in the type-approval (+/- 5%) (2007/46/EC). Anything not included in the standard version of the vehicle, both living unit and chassis, results in an increase in weight in running order with resulting decreased payload up to the possible reduction of approved seats in the case of the total weight for the available payload value. The available payloads result from the difference between maximum permissible mass and running order mass and have a tolerance of 5%. During the purchase phase it is necessary to check the weight of the options to be installed on the vehicle.

NOTES
MASS IN RUNNING ORDER. It includes the weight of the empty base vehicle, of the driver (75 kg), 100% of the fuel (60-l tank), fresh water (tank filled with 20 l while travelling), and a gas tank for living purposes (20 kg). The mass in running order, and consequently the payload and/or certified seats may vary depending on the accessories installed.

PAYLOAD. This consists of the difference between the maximum technically permissible laden mass and the mass in running order. It includes elements for living purposes, the transported passengers defined by the manufacturer (driver excluded), and the personal effects. The payload calculation is based on the following parameters: 75 kg for each passenger (driver excluded), 10 kg of baggage for each passenger and for the driver, 10 kg for each metre of length of the vehicle, plus the remaining payload, which can be used for the installation of accessories or for additional baggage. All masses and loads of the empty vehicle have a tolerance of +/- 5%, in compliance with Directive 2007/46/EC. Any optional equipment increases the mass in running order and decreases the payload. The weight of non-standard accessories is not included in the mass in running order indicated in this catalogue. Additional accessories and devices reduce the payload by a quantity equal to their weight; the incidence of the weight of the individual accessories is shown in the special column in the technical data sheets or can be requested at our dealers. In case certain accessories are installed (for example, additional elements such as coupling device or motorbike rack), the mass of these accessories will affect the payload, possibly reducing it along with the number of certified seats. Please make sure that the maximum loads on the axles and the maximum technically permissible load mass are not exceeded during the complete loading phase of the vehicle. The regulations and requirements of each country may entail changes in the characteristics of this table. The number of certified seats may vary depending on the traffic regulations in force in each country.

- ▶ ESC
- ▶ Manual climate control system
- ▶ Cruise control
- ▶ Black grille, headlight frame and skid plate
- ▶ 16" alloy rim wheels
- ▶ Electric mirrors
- ▶ Driver and passenger air bag
- ▶ Integrated DAB radio aerial
- ▶ Cab swivel seats with upholstery coordinated covers
- ▶ Flyscreen
- ▶ Electric step
- ▶ Pleated blind
- ▶ Panoramic roof
- ▶ Rear-view camera
- ▶ 6-year warranty against infiltrations



S= standard O= optional - = not available



The choice of value and reliability.

One of the main advantages of choosing **Roller Team** is the certainty of the best **quality** permitted today by technology, materials and a complex industrial process. **Roller Team** works day after day to improve its products and services, making quality its priority so that the price of the product is reflected in its genuine value.

Dynamism, style, personality, technology and safety. For more than 10 years, **Roller Team** has specialised in vans, which are built in the factory in Paglieta (Abruzzo), an industrial district of over 28,000 m² that produces vans for the Trigano group for the whole of Europe. An established brand on the motorhome scene, today **Roller Team** also specialises in the production of outfitted vans. There are hundreds of qualified outlets that distribute the **Roller Team** brand today: a comprehensive sales network spread throughout the major European countries. It's thanks to its distribution partners that **Roller Team** is close to its customers everywhere, ready to satisfy customers' every requirement with appropriate tools and a wide range of pre-sale and aftersales services.

An organised, targeted network, supported by continuous training on technical topics and workshop operations, product development in keeping with the habits and needs of different cultures, distribution agencies in the area, local staff: these are the secret weapons with which **Roller Team** presents itself on international markets with growing success.

+ insulation + protection - noise

On a carefree journey; you will always be protected and safe, in every season.



Livingstone vans are well **insulated and silent** vehicles, thanks to the exclusive **ExPS EVO technology** that ensures insulation and internal protection from both external temperatures and noise.

Livingstone Range



The walls are insulated by the **polyurethane foam**, a material capable of giving one of the better ratios between **thickness, cost and performance**. The floor consists of a sandwich panel while the roof is insulated with polyester fibre covered by an aluminium film.



Livingstone Sport and Livingstone Advance Range

More insulation, with materials having **higher insulating performance**. The coating of the roof, walls, crossbars and uprights is made **entirely of polyester fibre covered by an aluminium film**, made in two thicknesses (20 mm and 10 mm) to ensure the absence of thermal bridges.



Absolute Roller Team **protection guaranteed 6 years against infiltration**.

Tested reliability

Noise tests relating to external agents (test carried out with calibrated sound meter and certified by the SIT centre) have also demonstrated that the noise perceived inside the van while raining is lower by 37% in the dinette area and by 30% in the rear area.

Tests in climatic chamber

In accordance with the EN 1646-1 standard, according to which a vehicle brought to -15°C must reach +20°C in 4 hours, have demonstrated that ExPS Evo insulation:

- **Reduces the time to reach pleasant temperatures inside the vehicle by 50%** even when starting from extremely cold conditions;
- **Increases the uniformity of temperature** inside the various areas of the van by more than 65%;
- **Maintains temperatures** with greater consistency and longer for more comfortable stay.



Rooms designed to feel free.

Whatever your needs,
Roller Team has the right
solution for you.

Intelligent living solutions, designed by those who only build vans.
Usability and freedom of movement guaranteed, thanks to optimal use of available space.

You can choose between 3 types of fittings:



Livingstone Concreteness and space.

Cosy, comfortable and airy environment. **Simple and linear** style, it does not give up to the **practicality and functionality** of the furniture, **resistant and water-repellent**, in melamine multilayer with plastic finish. Stowage ensured **by the large wall cabinets and the comfortable storage compartment** above the cab.



Livingstone Sport Quality and comfort, freedom of movement, more stowage.

More comfortable, functional and durable environment. The most **refined** style in the choice of materials for furniture in high-pressure laminate, **ultra-resistant and easy to clean**. **More space to move around** with the ergonomically rounded profiles and the **open space cab**. Even **more stowage** with the hatch on the floor under the dinette.



Livingstone Advance Better balance between design, aesthetics and ergonomics.


Environment designed for **top comfort**. **Attractive design** style. Furniture with contrasting colours and built with even more **resistant and durable** materials, glossy laminates for the wall units and acrylic stone for the kitchen worktop and the folding top table. **Move around even more easily** thanks to the rounded profiles with LED light inserts and open space cab.

Free to go wherever you want...



With Roller Team vans you can go anywhere, even to the hottest destinations. The food will always be fresh, thanks to the **70 and 90 litre compressor refrigerators**.

- **High performance** even in the most extreme heat conditions. Tested in the extreme conditions of the Australian desert.
- **Noiseless** you can sleep undisturbed.




- **Practical** You can open them both from the inside and the outside of the vehicle, because they have a double opening. (Livingstone range)

...in any climate.

Enjoy the coldest destinations without worries, you will **always stay warm. Same performance as a motorhome!**
Choice of gas or oil heating, combined or electric, 4 or 6 kW.



The specifications on these pages can only refer to certain models in the range.



We can say it with certainty, because we have tested our vans in a climatic chamber according to EN 1646-1 standard. This requires reaching 20°C inside the vehicle within 4 hours of the switching on of the heating system with an external temperature of -15°C.

Livingstone reached the target

The result is equal to the performance of an average motorhome (with a length of 7.4 meters and a central rear bed) which has an internal volume 30% higher than the van and construction, bodywork and materials very different.

Want even more?

You can choose between two optional fitting options that improve comfort on board in harsher conditions.

- Winter Pack:**
- ▶ Grey water tank insulated with a 15 mm layer of polyurethane.
 - ▶ **Electrical probe with thermostat positioned close to drain valve.**
 - ▶ Insulation of external water pipes.
 - ▶ **Insulation of external heating pipes.**
- Arctic Pack:**
- ▶ **Boosted heater 6 kW.**
 - ▶ Thermal blind to protect side windows.
 - ▶ **Thermal blind to protect the dashboard.**
 - ▶ Insulated rear curtain.

NOTICE - All the information and photos shown herein are to be considered as merely indicative and do not constitute contractual specifications. Trigano S.p.A. reserves the right to make the technical and configuration changes considered appropriate to its vehicles and to change the equipment the vehicles are provided with at any time and with no official notice. Owing to the above, all the information concerning the specifications and equipment of every motorcaravan must be requested before purchase from the dealer, who, acting as sole point of reference, will confirm or rectify the data published herein, updating the customer on the actual features and equipment of the vehicle he/she is interested in and for which negotiations are ongoing. Trigano S.p.A. declines any liability concerning changes, including additions, and/or conversions made after the printing of this document and/or delivery of the vehicle. Weights and dimensions of vehicles and options are subject to change with a tolerance of +/- 5%, dimensions of vehicles with a tolerance of +/- 3%, according to the Directive 2007/46/CE. Important note: Anything which is not included in the standard version of the vehicle, concerning both living quarters and chassis, entails an increase of the mass in running order, with the consequent reduction in the useful load up to the possible reduction in the number of certified seats in case the total weight exceeds the value of the available payload. The available payload consists in the difference between the maximum permissible weight and the mass in running order, with a tolerance of 5%. Therefore, during the purchase phase it is mandatory to carefully consider the weight of any optional equipment you wish to install on the vehicle. This weight is indicated in the specific item of the technical data on www.rollerteam.it. Hence, please remember that the laws in force do not allow the maximum permissible weight indicated in the specific item of the technical data sheets to be exceeded. It is recommended that each user adjust the load and the number of passengers carried to the maximum technically permissible maximum mass of the vehicle. Fitting, removing or alterations carried out c/o unauthorised workshops may compromise your safety and at the same time lead to invalidation of the warranty.

The world Roller Team in a click. All the news in real time, special events, limited offers and much more. Go online now on your PC, tablet or smartphone and enjoy an on-line word of Roller Team: www.rollerteam.it

DEALER'S STAMP



TRIGANO SpA Loc.Cusona, 53037 - San Gimignano (Siena) Italy
Tel. +39 0577 6501 - info@rollerteam.it - www.rollerteam.it